



## General Description:

Life Force International's **FlexeoPlus** is a proprietary liquid formula containing ingredients proven through numerous scientific studies to improve joint health.<sup>1,2</sup>

It is a highly concentrated formula of Glucosamine, MSM, and Ipriflavone. To improve the overall effectiveness of the primary ingredients, we also added Zinc, vitamin C, and vitamin K1.<sup>3,4,5,8,9,10</sup>

Flexeoplus can also be used to compliment calcium supplements.<sup>6</sup> This is especially true of OsteoProCare, for which FlexeoPlus is specifically formulated to work synergistically. This synergism increases the effectiveness of both products.<sup>7,8</sup>

Additionally, when nutrients are available in liquid form, they have distinct advantages:

- They are easy to take – Some people have a hard time swallowing even small tablets.
- They take effect fast – Assimilation begins in the mouth.
- They are highly absorbed – By already being in liquid form, they don't have to be converted from solid into liquid, and therefore, have a very high rate of absorption.

## The BioLiquid Advantage:

FlexeoPlus is a highly concentrated formula and has the benefit of Life Force International's production technology, called BioLiquid Advantage, which consists of four specific functional components:

**Concentration** – No other liquid joint-support product has the concentration of beneficial ingredients as

does FlexeoPlus. In one case, FlexeoPlus is four times more concentrated than a competing product. A proprietary, "sequentially miscible" process of combining key ingredients achieves this concentration.

**Sequential Mixing** – This is the process of combining key ingredients to achieve concentration and the ability to mix fat and water soluble components. This allows FlexeoPlus to contain ipriflavone (fat soluble) in a solution with water-soluble ingredients without separation occurring. As with cooking recipes, the sequence of adding ingredients is important to the outcome.

**Supportive Compounds** – The use of specific nutrients, such as, Zinc, and vitamin C and K-1 enhance the utilization of the beneficial ingredients.

<sup>9, 10, 11</sup> Additionally, ipriflavone enhances the utilization of calcium.<sup>6,7</sup>

**Stable Freshness** – Careful use of stabilizers, in proper ratios for liquids, maintains freshness.

## PRODUCT SPECIFICATIONS

PRODUCT NUMBER	LF703
DESCRIPTION	30-day supply
QUANTITY	4 fl. oz.



**FLEXEOPLUS**

# PRODUCT DATA SHEET

## Ingredients:

Purified Water, Glucosamine Hydrochloride, MSM (Methyl Sulfonyl Methane), Glycerin, Ipriflavone, Ascorbic Acid (Vitamin C), Zinc Citrate, Vitamin K1, and Stevia Extract (Leaf).

## Other Ingredients:

Lecithin, Xanthan Gum, less than 0.2 % of Potassium Sorbate and Potassium Benzoate (to preserve freshness).

INGREDIENT	BENEFITS
Glucosamine	This compound has been scientifically proven to benefit joint health. Glucosamine stimulates the essential cartilage building blocks called glycosaminoglycans and proteoglycans.
MSM (Methyl Sulfonyl Methane)	MSM has also been clinically proven to support joint health.
Ipriflavone	Has been shown to improve bone density with, or without, calcium.
Zinc and Vitamin C and K-1	These nutrients improve the effectiveness of the primary ingredients.

## Potential Benefits From Ingredients That:

- Promote joint health. <sup>1,8</sup>
- Support healthy joint flexibility. <sup>1,2</sup>
- Assist in maintaining healthy “building blocks” of cartilage molecules. <sup>11</sup>
- Promote the building blocks of connective tissue, and are key components of joints. <sup>5</sup>

## Suggested Use:

Shake before using.

Mix 4 droppers-full\* into OsteoProCare, or any liquid up to 3 times per day.

\* Denotes: One dropper-full is one full squeeze of the rubber bulb.

## Servings:

FlexeoPlus comes in a 4-oz, amber-colored, glass bottle, which yields 30 servings @ 4 droppers full per serving. When using 1 serving daily, FlexeoPlus is a 30-day supply.

## Caution:

Keep out of reach of children.

This product contains Vitamin K-1 and has an ingredient obtained from certain shellfish.

Therefore, any individuals who are on blood thinner medication or who are allergic to shellfish should consult with their health care professional prior to using any new product.

*Shellfish Allergy Warning: This product contains one or more ingredients obtained from certain shellfish. Anyone allergic to shellfish should consult with their health practitioner before consuming this product.*

SUPPLEMENT FACTS		
Serving size: 4 Droppers • 4 ml (4.5 g)	Servings per container: 30	
Calories: 5	Total Carb.	1 g
	Amount per serving	% DV
Vitamin C	60 mg	100%
Vitamin K	40 mcg	50%
Zinc	10 mg	67%
MSM	500 mg	*
Glucosamine	500 mg	*
Ipriflavone	100 mg	*
* Daily Value not yet established		

**Shelf Life & Storage:**

Once opened, FlexeoPlus has a shelf life of 3 months. Unopened, it has a shelf life of 1 year. Store at room temperature. (Slight discoloration may occur when exposed to air and light, but this will not alter its effectiveness.)

\* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

This specific product or products have not been tested for any of the potential benefits listed herein. The following references apply to studies and/or research conducted within certain ingredients, or combinations of ingredients, used in formulating this product. Such ingredients may not be from the same source or processed in the same way as the ingredients used in this product.

**References:**

- 1) Effect of glucosamine hydrochloride in the treatment of pain of osteoarthritis of the knee. Houpt, J.B., McMillan, R., Wein, C., Paget-Dellio, S.D. *J Rheumatol* 1999 Nov 26:11 2423-30
- 2) Dietary and pharmaceutical uses of methyl-sulfonylmethane and compositions comprising it. United States Patent 4,559,329 Herschler, December 17, 1985
- 3) A double blind, placebo-controlled trial of ipriflavone for prevention of postmenopausal spinal bone loss. Agnusdei, D., Crepaldi, G., Isaia, G., Mazzuoli, G., Ortolani, S., Passeri, M., Bufalino, I., Gennari, C. *Calcif Tissue Int* 1997 Aug 61:2 142-7.
- 4) Effect of chronic treatment with ipriflavone in postmenopausal women with low bone mass. Gennari, C., Adami, S., Agnusdei, D., Bufalino, I., Cervetti, R., Crepaldi, G., DiMarco, C., DiMunno, O., Fantasia, I., Isaia, G., Mazzuoli, G.F., Ortolani, S., Passeri, M., Serni, U., Vecchiet, L. *Calcif Tissue Int* 1997 61 Suppl 1: S19-22
- 5) Effect of zinc deficiency on bone collagenase and collagen turnover. Starcher, B.c., Hill, C.H., Madaras, J.G. *J Nutr* 1980 Oct 110:10 2095-102
- 6) Novel ipriflavone receptors coupled to calcium influx regulate osteoclast differentiation and function. Miyauchi, A., Notoya, K., Takeomi, S., Takagi, Y., Fujii, Y., Jinnai, K., Takahashi, K., Chihara, K., Fujita, T. *Endocrinology* 1996 Aug 137:8 3544-50
- 7) Increase in femoral bone mass by ipriflavone alone and in combination with 1 alpha-hydroxyvitamin D3 in growing rats with skeletal unloading. Notoya, K., Yoshida, K., Tsukuda, R., Taketomi, S., Tsuda, M. *Calcif Tissue Int* 1996 Feb 58:2 88-94
- 8) Stimulatory effect of zinc on bone formation in tissue culture. Yamaguchi, M., Oishi, H., Suketa, Y. *Biochem Pharmacol* 1987 Nov 15 36:22 4007-12
- 9) Regulation of collagen synthesis in human dermal fibroblasts in contracted collagen gels by ascorbic acid, growth factors, and inhibitors of lipid peroxidation. Gessin, J.C., Brown, L., Gordon, J.S., Berg, R.A. *Exp Cell Res* 1993 Jun 206:2 283-90
- 10) The function and metabolism of vitamin K. Olson, R.E. *Annu Rev Nutr* 1984 4: 281-337
- 11) Influence of zinc on synthesis and the accumulation of collagen in early granulation tissue. Tengrup, I., Ahonen, J., Zederfelt, B. *Surg Gynecol Obstet* 1981 Mar 152:3 323-6

***For Use in the US Market Only***